

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	"ox_id" same "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:45
L2	29	370/230.ccls. and switch and san and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:46
L3	76	"710"/5.ccls. and switch and san and scsi and (fibre near channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:46
L4	63	"ox_id" and "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:46
L5	46	header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:46

L6	13	5 and (modif\$5 or replac\$3 or chang\$3 or alter\$3 or direct\$3 or redirect\$3) with ((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:47
L7	3	370/392,252.ccls. and direct\$3 with ((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:48
L8	2	370/392.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:48
L9	1	370/252.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:48
L10	6	710/5.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:52
L11	1755	710/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:52

L12	17259	710/5.ccls. ("(OX_ID)" or "(RX_ID)")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:53
L13	3	710/5.ccls. and ("(OX_ID)" or "(RX_ID)")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:54
L14	19	h04j1/16.ipc. and (switch and san and scsi and (fibre near channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:56
L15	0	14 and "ox_id" and "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:57
L16	148	14 and "ox_id" or "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:57
L17	0	14 and ("(OX_ID)" or "(RX_ID)")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:57
L18	1	370/230.ccls. and header with ((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (((("OX_ID)" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:58

L19	6705	370/252.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 15:59
L20	3184	370/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:00
L21	86	"XFER" near "RDY"	USPAT	OR	OFF	2010/07/23 16:00
L22	148	21 and "ox_id" or "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:01
L23	11	21 and "ox_id" and "rx_id"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:01
L24	22	23 and "ox_id" or "rx_id" with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:02
L25	4	23 and ("ox_id" or "rx_id") with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:02
L26	4	23 and "rx_id" with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:03

L27	17	"709"/\$.ccls. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:09
L28	0	711/6.ccls. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:10
L29	13	"711"/\$.ccls. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:10
L30	5	29 and "XFER" near "RDY"	USPAT	OR	ON	2010/07/23 16:10
L31	2369	711/114.ccls.	USPAT	OR	ON	2010/07/23 16:14
L32	11	711/114.ccls. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:15

L33	13	"711"/\$.cds. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:15
L34	17	"709"/\$.cds. and header with (((((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "(RX_ID)")) with (sequence\$3 or track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:16
L35	2	"20050117522"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:28
L36	140	satish ambati.in. or magesh lyengar.in. or dinesh dutt.in. or silvano gai.in. or varagur chandrasekaran.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/07/23 16:28
L37	2	36 and ("ox_id" or "rx_id")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:29
L38	0	26 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:31
L39	0	37 and "rx_id" with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:32

L40	2	37 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 16:33
L41	0	36 and ("ox_id" or "rx_id") with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/23 16:34

7/23/2010 4:50:29 PM

C:\Documents and Settings\eunelus\My Documents\EAST\Workspaces
\10726269updated3.wsp